

 **JUVMO™** For the treatment of
(tavapadon) tablets **Parkinson's disease in adults**

JUVMO PATIENT CALENDAR

This calendar can be used to follow the dose initiation schedule during the first 40 days of JUVMO treatment.



Titration Pack

Take JUVMO exactly as your healthcare provider tells you to.

abbvie

USE

JUVMO is a prescription medicine used for the treatment of Parkinson's disease in adults. It is not known if JUVMO is safe and effective in children.

SAFETY CONSIDERATIONS

JUVMO may cause serious side effects such as low blood pressure; unusual urges; seeing, hearing, or feeling things that are not real (hallucinations); and new or worsened uncontrolled sudden movements (dyskinesia). The most common side effects of JUVMO include nausea, headache, change in taste, feeling tired (fatigue), vomiting, dry mouth, and anxiety.

Please see Use and Important Safety Information on [page 3](#).

For more information, [click here](#) for full Prescribing Information, including Patient Information.

Use this guide to:

- Keep track of your medication doses during the initiation period
- Correctly take your medication as prescribed

How should I take JUVMO?

 Take JUVMO one time each day or exactly as your healthcare provider tells you

 You can take JUVMO with or without food

If you take too much JUVMO, call your healthcare provider or go to the nearest hospital emergency room right away.

What should I avoid while taking JUVMO?

Do not change your body position too fast. Get up slowly from sitting or lying down. JUVMO can lower your blood pressure, which can cause nausea, sweating, dizziness, falling, or fainting when you stand up too quickly.

STARTING YOUR TREATMENT

When you begin treatment with JUVMO, you will take each tablet by mouth once daily. You will gradually increase your daily dose during a 40-day initiation period based on the provided schedule.

- Tablets are packaged as 6 weekly cards, for a total of 40 days of treatment.
- The titration pack ends after your Day 40 dose in Week 6.
- If you miss a dose of JUVMO, take it as soon as you remember on the same day, but do not take 2 doses at one time. If you do not remember until the following day, skip the missed dose and take JUVMO at your regular time.

- Do not swallow more than one tablet at a time.
- Only remove the tablets for that day's dose. Do not remove tablets to put in a medication organizer (ie, pill case).
- Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.
- Share any questions or concerns with your doctor to help make sure your treatment is going as expected.

SAFETY CONSIDERATIONS

JUVMO may cause serious side effects such as low blood pressure; unusual urges; seeing, hearing, or feeling things that are not real (hallucinations); and new or worsened uncontrolled sudden movements (dyskinesia). The most common side effects of JUVMO include nausea, headache, change in taste, feeling tired (fatigue), vomiting, dry mouth, and anxiety.

Please see Use and Important Safety Information on [page 3](#). For more information, [click here](#) for full Prescribing Information, including Patient Information.

abbvie

Use this calendar to track your medication each day. **Check the box** after taking your dose, and **write or enter the date** in the space provided to help keep track of your doses. The daily dose and number of tablets to take are listed for each day.

 **JUVMO**
(tavapadon) tablets

WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6
DAY 1: ☐ 0.25 MG  1 PILL	DAY 8: ☐ 0.5 MG  2 PILLS	DAY 15: ☐ 1 MG  1 PILL	DAY 22: ☐ 2.25 MG  3 PILLS	DAY 29: ☐ 3 MG  3 PILLS	DAY 36: ☐ 3 MG  3 PILLS
DAY 2: ☐ 0.25 MG  1 PILL	DAY 9: ☐ 0.75 MG  3 PILLS	DAY 16: ☐ 1 MG  1 PILL	DAY 23: ☐ 2.25 MG  3 PILLS	DAY 30: ☐ 3 MG  3 PILLS	DAY 37: ☐ 3 MG  3 PILLS
DAY 3: ☐ 0.25 MG  1 PILL	DAY 10: ☐ 0.75 MG  3 PILLS	DAY 17: ☐ 1.5 MG  3 PILLS	DAY 24: ☐ 2.25 MG  3 PILLS	DAY 31: ☐ 3 MG  3 PILLS	DAY 38: ☐ 3 MG  3 PILLS
DAY 4: ☐ 0.25 MG  1 PILL	DAY 11: ☐ 0.75 MG  3 PILLS	DAY 18: ☐ 1.5 MG  3 PILLS	DAY 25: ☐ 3 MG  3 PILLS	DAY 32: ☐ 3 MG  3 PILLS	DAY 39: ☐ 3 MG  3 PILLS
DAY 5: ☐ 0.5 MG  2 PILLS	DAY 12: ☐ 0.75 MG  3 PILLS	DAY 19: ☐ 1.5 MG  3 PILLS	DAY 26: ☐ 3 MG  3 PILLS	DAY 33: ☐ 3 MG  3 PILLS	DAY 40: ☐ 3 MG  3 PILLS
DAY 6: ☐ 0.5 MG  2 PILLS	DAY 13: ☐ 1 MG  1 PILL	DAY 20: ☐ 1.5 MG  3 PILLS	DAY 27: ☐ 3 MG  3 PILLS	DAY 34: ☐ 3 MG  3 PILLS	
DAY 7: ☐ 0.5 MG  2 PILLS	DAY 14: ☐ 1 MG  1 PILL	DAY 21: ☐ 2.25 MG  3 PILLS	DAY 28: ☐ 3 MG  3 PILLS	DAY 35: ☐ 3 MG  3 PILLS	

Tablets shown are not actual size.

On Day 41,
you will begin
your next
prescription,
provided in
a pill bottle.



JUVMO
pill bottle

